

Requirements – PSCAD v4.6.3 Updates 4 and 5

1. HARDWARE			
Category	Recommendations		
Computer ^[1]	Good motherboard with fast front-side speed 8 GB + of fast high quality RAM ^[2] Solid state hard drive 64 bit operating system 4 + CPU cores ^[3] with a decent CPU ranking One USB 2.0 port or better if "Legacy Lock-based Licensing" is used (see Section 4.2) Internet connection		
2. USAGE			
Category	Requirements		
Operating System	 Microsoft® Windows 7 SP1 and Windows 10^[4] (officially supported) 64-bit Windows is recommended. It may be possible to run on a virtual machine. The following additional operating systems may also work: Microsoft® Windows 8 and 8.1, and Windows Server 2008 R2 SP1, 2012 R2, 2016 and 2019 PSCAD version 4.6 and higher is not supported on: Microsoft® Windows XP, Windows Vista, and Windows 7 SP0 		
Prerequisite Software	Microsoft® Visual C++ 2015 Redistributables, x86 and x64 ^[5] Microsoft® .NET Framework 4.6.1 Full, minimum ^[6]		
Launching and Running	Microsoft® Windows User privileges		
User Profile	Mandatory user profiles are not supported		
Licensing	See Section 4		
Third Party Software	A compatible FORTRAN compiler is required. For details, refer to <u>Selecting your FORTRAN</u> <u>compiler</u> .		
Execution Permissions	 The application executable files must be whitelisted in all protection software: For PSCAD: The path may be set generally, as: %PROGRAMFILES%\PSCAD<version></version> Or, the path may be specified as: For the 32-bit edition: C:\Program Files (x86)\<version>\bin\win\pscad.exe</version> For the 64-bit edition: C:\Program Files (x86)\<version>\bin\win64\pscad.exe</version> For both editions: C:\Program Files (x86)\<version>\bin\win\tline.exe</version> C:\Program Files (x86)\<version>\utilities</version> 		



Execution Permissions (continued)	• For the Intel [®] Parallel Studio Composer Edition for FORTRAN:
	%PROGRAMFILES%\Intel
	For Microsoft [®] Visual Studio:
	%PROGRAMFILES%\Microsoft Visual Studio <version></version>
	Allow the user execute permissions to the following within %SYSTEM32%:
	• cmd.exe
	conhost.exe
	The executable files created by the application must be permitted in all protection software.
	See listing in Appendix F of <u>Resolving Issues</u> .
Folder Permissions	The user must have full permissions for the following folder and sub-folders:
	Common Documents folder (e.g. C:\Users\Public\Documents)
	The following sub-folders will be created, and the user must have full permissions:
	C:\Users\ <your username="">\AppData\Local\Manitoba HVDC Research Centre</your>
	C:\ProgramData\Manitoba HVDC Research Centre
Communication Over TCP/IP	This is required for PSCAD and the executables listed above for the purpose of simulation control and data collection for plots.
Network Ports	Ports 30,000 to 40,000 must be available to allow PSCAD and EMTDC communication
3.1 INSTALLATION – General	
Category	Requirements
Registry Keys Permissions	32-bit registry keys (used by PSCAD (32-bit) and PSCAD (64-bit)):
	HKCU\Software\Manitoba HVDC Research Centre\Pscad
	HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad
	HKLM\Software\Manitoba HVDC Research Centre\Pscad
	HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad
	64-bit registry keys (used by PSCAD (64-bit) only):
	HKCU\Software\Manitoba HVDC Research Centre\Pscad
	HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad

HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad

3.2 INSTALLATION – InstallShield Wizard Installer

Category	Requirements
General Requirements	As listed in Section 3.1
Downloading	Internet connection
Installing (and removing) the Software (PSCAD, License Manager, GFortran, Prerequisites, Sentinel Drivers)	Microsoft® Windows Administrator privileges



3.3 INSTALLATION – Installer Utility

Category	Requirements
General Requirements	As listed in Section 3.1
Downloading	Internet connection
Running	Microsoft [®] Windows Administrator privileges
Logging	The following sub-folders will be created, and the user must have full permissions:
	C:\Users\< <mark>your username></mark> \AppData\Local\Manitoba HVDC Research Centre\Installer

3.4 INSTALLATION – MyUpdater

Category	Requirements
General Requirements	As listed in Section 3.1
Access to Product Downloads	Add the first or both of the following URLs to all anti-virus/firewall whitelists: https://products.pscad.com ftp://ftps.pscad.com
Installing	Microsoft [®] Windows Administrator privileges Internet connection
Launching (to Install or Update Software)	Microsoft [®] Windows Administrator privileges Internet connection
Launching (to Uninstall Software)	Microsoft® Windows Administrator privileges
Launching (to Launch Installed Software)	Microsoft® Windows User privileges (unless otherwise specified)
Connection to Publication Server	Add the first or both of the following URLs to all anti-virus/firewall whitelists: http://publisher.pscad.com:80/ net.tcp://publisher.pscad.com:443/
Supported Protocols	TLS 1.0, TLS 1.1, TLS 1.2

4.1 LICENSING – Certificate Licensing

Category	Requirements	
Certificate	MyCentre user account with access to a licensed WorkGroup	
Operational Requirements	Supported on a local desktop, or remote desktop, or over virtual private network (VPN). Not guaranteed in a cloud desktop environment, but could be verified using diagnostic tools.	
Connection to the License Server	 Add both of the following URLs to all anti-virus/firewall whitelists: http://licensing.pscad.com:80/Licensing net.tcp://licensing.pscad.com:443/Licensing 	
Activate/Release/Refresh a Certificate	Microsoft® Windows User Privileges Internet connection	
Using Certificates	 The following sub-folders will be created for certificates for PSCAD v4.5.1v4.6.3: Path: C:\Users\Public\Documents\Manitoba HVDC Research Centre\Licensing\Licenses Required permissions: FullControl for Everyone 	



	The falls, day and faller should already a day and will be used.
	The following sub-folder should already exist and will be used:
	Path: C:\ProgramData\Microsoft\Crypto\RSA\MachineKeys
	Required permissions: Read, Write for Everyone
Supported Protocols	TLS 1.0, TLS 1.1, TLS 1.2
4.2 LICENSING – Legacy Lock-base	d Licensing - General
Category	Requirements
Licensing Media	The License Database File must be installed on the licensed machine
	The Sentinel USB Lock must be installed on the licensed machine
To Communicate with the Sentinel Lock	Sentinel Driver software ^[7] to use the Sentinel USB lock
	For Microsoft® Windows 10 (all releases), Sentinel System Driver 7.6.0 or better is required.
	For Microsoft® Windows 10 Build 1803 or better, the following is required:
	Sx32w.dll, version 7.1.0.14
	One USB 2.0 port or better
To Install a License Database File	Microsoft® Windows Administrator Privileges
To Use the License Update Tool	Microsoft [®] Windows Administrator Privileges
	Internet connection is required if downloading the posted (current) version
To Activate a License	Microsoft [®] Windows User Privileges
Access to Obtain and Retain Licensing Settings	Settings accessible to everyone on the specified machine:
	HKEY_LOCAL_MACHINE\SOFTWARE\Manitoba HVDC Research Centre Inc\PSCAD\License
	Note
	Microsoft [®] Windows Administrator Privileges are required to modify them.
	 Settings applicable only to specified individuals on a machine:
	HKEY_CURRENT_USER\Software\Manitoba HVDC Research Centre Inc\PSCAD\License
	Note
	Only Microsoft [®] Windows User-level Privileges are required to read or modify them,
	unless prohibited by a group policy.

4.3 LICENSING – Legacy Lock-based Licensing –Local Licensing

Category	Requirements	
General Requirements	As listed in Section 4.2	
Machine	Supported on a local machine, but may be possible to use virtual private network (VPN) to remote log in.	
	Not supported in a cloud desktop environment.	
Firewall	Ports 2053 and 2054 must be open	
4.4 LICENSING – Legacy Lock-base	d Licensing – Network Licensing	
Category	Requirements	

General Requirements

As listed in Section 4.2



Machine – Client Supported on a local machine, but may be possible to use virtual private network (VPN) to connect to the server. Not supported in a cloud desktop environment (generally they are not connected to the corporate network). Internet connection is required if using VPN for a remote License Manager. Machine – Server Supported on a physical machine, but may be possible to use a virtual server. Contact the SCAD Support Desk support@mhi.ca for details. License Manager Software Must be installed as applicable: • On the server, if the license is hosted on the server and shared over the network with client machines. CMP Ping Echo and ICMP Ping Reply Must be enabled on the firewall for the host and client machines. VEMDS (if used) Port 327 Must be allowed on the server. Nature connection is required if downloading the posted (current) version. Internet connection is required if downloading the posted (current) version. Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) version. Internet connection is required if downloading the posted (current) version. Start / Stop / Restart the License Manager Microsoft* Windows 751 and Windows 10 (32-bit and 64-bit) (officially supported) fieldownloading the posted (current) version. Start LICENSE MANAGER (VILE) Microsoft* Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 in Microsoft* Windows S			
corporate network). Internet connection is required if using VPN for a remote License Manager.Machine – ServerSupported on a physical machine, but may be possible to use a virtual server. Contact the PSCAD Support Desk support@mhi.ca for details.License Manager SoftwareMust be installed as applicable: • On the server, if the license is hosted on the server and shared over the network with client machines in boted on the server and shared over the network with client machines is used locally on the client machine and has more than one seatLCMP Ping Echo and ICMP Ping ReplyMust be enabled on the firewall for the host and client machinesNetBIOS (if used) Port 137Must be open on the firewallNetBIOS (if used) Port 137Must be allowed on the serverStart / Stop / Restart the License Manager ServiceMicrosoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) versionCategoryRequirementsOperating SystemMicrosoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: • Microsoft* Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The Kicense Manager is not supported on the following: Microsoft* Windows SP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock	Machine – Client		
Machine – Server Supported on a physical machine, but may be possible to use a virtual server. Contact the PSCAD Support Desk support@mhi.ca for details. License Manager Software Must be installed as applicable: On the server, if the license is hosted on the server and shared over the network with client machines On the client machine, if the license is used locally on the client machine and has more than one seat ICMP Ping Echo and ICMP Ping Reply Must be open on the firewall NetBIOS (if used) Port 137 Must be allowed on the server Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Dysing the License Manager Setup Tool Microsoft* Windows Administrator Privileges Dysing System Microsoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: Microsoft* Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 Pictures Manager is not supportored on the following: Microso			
ICense Manager SoftwareMust be installed as applicable: 		Internet connection is required if using VPN for a remote License Manager.	
 On the server, if the license is hosted on the server and shared over the network with client machines On the client machine, if the license is used locally on the client machine and has more than one seat ICMP Ping Echo and ICMP Ping Reply Must be enabled on the firewall for the host and client machines TCP/IP and UDP/IP on Ports 2053 / 2054 Must be open on the firewall NetBIOS (if used) Port 137 Must be allowed on the server Start / Stop / Restart the License Manager Microsoft* Windows Administrator Privileges Terret connection is required if downloading the posted (current) version TEREST TEREST Terret connection is required if downloading the posted (current) version The following operating system Microsoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: Microsoft* Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The Icense Manager is not supported on the following: Microsoft* Windows Server 2008 R2 SP1, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock 	Machine – Server		
ICMP Ping Echo and ICMP Ping ReplyMust be enabled on the firewall for the host and client machinesTCP/IP and UDP/IP on Ports 2053 / 2054Must be open on the firewallNetBIOS (if used) Port 137Must be allowed on the serverStart / Stop / Restart the License Manager ServiceMicrosoft* Windows Administrator PrivilegesUsing the License Manager Setup ToolMicrosoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) versionCategoryOperating SystemMicrosoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: 	License Manager Software	 On the server, if the license is hosted on the server and shared over the network with client machines On the client machine, if the license is used locally on the client machine and has 	
TCP/IP and UDP/IP on Ports 2053 / 2054Must be open on the firewallNetBIOS (if used) Port 137Must be allowed on the serverStart / Stop / Restart the License Manager ServiceMicrosoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) versionUsing the License Manager Setup ToolMicrosoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) version 5. THE LICENSE MANAGER (v1.45) RequirementsOperating SystemMicrosoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: 	ICMP Ping Echo and ICMP Ping Reply	Must be enabled on the firewall for the host and client machines	
NetBIOS (if used) Port 137Must be allowed on the serverStart / Stop / Restart the License Manager ServiceMicrosoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) versionUsing the License Manager Setup ToolMicrosoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) version 5. THE LICENSE MANAGER (v1.45) RequirementsOperating SystemMicrosoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: • Microsoft* Windows 8 and Windows 8.1 • Microsoft* Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft* Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock		Must be open on the firewall	
Service Microsoft* Windows Administrator Privileges Internet connection is required if downloading the posted (current) version 5. THE LICENSE MANAGER (v1.45) Requirements Operating System Microsoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: 	NetBIOS (if used) Port 137	Must be allowed on the server	
Internet connection is required if downloading the posted (current) version 5. THE LICENSE MANAGER (v1.45) Category Requirements Operating System Microsoft* Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: • Microsoft* Windows 8 and Windows 8.1 • Microsoft* Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft* Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock		Microsoft [®] Windows Administrator Privileges	
S. THE LICENSE MANAGER (v1.45) Category Requirements Operating System Microsoft® Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: Microsoft® Windows 8 and Windows 8.1 Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock 	Using the License Manager Setup Tool	Microsoft [®] Windows Administrator Privileges	
Category Requirements Operating System Microsoft® Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: • Microsoft® Windows 8 and Windows 8.1 • Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock		Internet connection is required if downloading the posted (current) version	
Operating System Microsoft® Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported) The following operating systems may also work: • Microsoft® Windows 8 and Windows 8.1 • Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock	5. THE LICENSE MANAGER (v1.45)		
 The following operating systems may also work: Microsoft® Windows 8 and Windows 8.1 Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock 	Category	Requirements	
 Microsoft® Windows 8 and Windows 8.1 Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock 	Operating System	Microsoft® Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported)	
 Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019 The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SP0 Supported on a physical machine, but may be possible to use a virtual server. The USB lock 		The following operating systems may also work:	
The License Manager is not supported on the following: Microsoft® Windows XP, Windows Vista, Windows 7 SPO Supported on a physical machine, but may be possible to use a virtual server. The USB lock		Microsoft [®] Windows 8 and Windows 8.1	
Microsoft [®] Windows XP, Windows Vista, Windows 7 SPO Supported on a physical machine, but may be possible to use a virtual server. The USB lock		• Microsoft [®] Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019	
		Supported on a physical machine, but may be possible to use a virtual server. The USB lock	

Prerequisite Software	Microsoft® Visual C++ 2017 Redistributables, x86
	Microsoft [®] .NET Framework 4.0 Full, minimum
Installation	Microsoft® Windows Administrator Privileges
Start/Stop/Restart the License Manager	Microsoft® Windows Administrator Privileges
License Manager Setup Tool	Microsoft® Windows Administrator Privileges
	Internet connection is required if downloading the posted (current) version
Running/Restarting the License Manager	Whitelist the License Manager executable files in this folder: C:\Program Files (x86)\HVDC
	Lmgr\WinNT
TCP/IP and UDP/IP on Ports 2053 / 2054	Must be open on the firewall

6. DIAGNOSTIC TOOLS

Category	Requirements
Running the Get Info tool	Microsoft [®] Windows User Privileges
	Internet connection is required if downloading the posted (current) version
Running the FORTRAN Medic Tool	Microsoft® Windows User Privileges Internet connection is required if downloading the posted (current) version
Viewing Log Files	Microsoft [®] Windows User Privileges

Notes

- 1. PSCAD is a numerically intensive power system transients simulator; a fast and efficient personal computer is recommended for best results. To obtain specifications for extremely high workloads, please contact the PSCAD Support Desk for information (support@mhi.ca).
- 2. Personal computers configured with slower processors and lesser RAM may be used, but slower execution performance will result. In other words, simulation speed increases with processor speed and amount of installed RAM.
- Generally, the faster the better. We recommend at least a four-core processor to take advantage of Parallel and High Performance Computing (refer <u>here</u> and <u>here</u>). Additional licensed capabilities may be purchased to maximize these features. For more information, refer to the <u>Requirements</u> manuals or contact the Support Desk (<u>support@mhi.ca</u>).
- 4. The PSCAD product is sold as a 32-bit and 64-bit application. On a 64-bit machine, both applications are installed. On a 32-bit machine, only the 32-bit application is installed.
- 5. The 32-bit edition of Visual C++ Redistributables is required on Microsoft[®] Windows 32. Both the 32-bit and 64-bit editions of Visual C++ Redistributables are required on Microsoft[®] Windows 64. If this prerequisite software is not already installed, the user will be prompted to install it when PSCAD is installed.
- 6. If this prerequisite software is not already installed, the user will be prompted to install it when PSCAD is installed.
- 7. Sentinel System Driver 7.6.0 is installed automatically alongside PSCAD v4.6.3 Update 4 and License Manager v1.45.



DOCUMENT TRACKING

Rev.	Description	Date
0	Initial	22/Jul/2020
1	Updated versions of Windows servers in Chart 2	22/Oct/2020
2	Update to folder permissions in Chart 4.1	27/Oct/2020
3	Update to Chart 5	21/Dec/2020
4	Fixed link to Resolving Issues document in Chart 2	04/Mar/2022

Copyright © 2022 Manitoba Hydro International Ltd. All Rights Reserved.