

Requirements – PSCAD v4.6.3 (Initial to Update 3)

1. HARDWARE	
Category	Recommendations
Computer ^[1]	Good motherboard with fast front-side speed
	8 GB + of fast high quality RAM ^[2]
	Solid state hard drive
	64 bit operating system
	4 + CPU cores ^[3] with a decent CPU ranking
	One USB 2.0 port or better if "Legacy Lock-based Licensing" is used (see Section 4.2)
	Internet connection
2. USAGE	
Category	Requirements
Operating System	Microsoft® Windows 7 SP1 and Windows 10 ^[4] (officially supported)
	• 64-bit Windows is recommended.
	It may be possible to run on a virtual machine.
	 The following additional operating systems may also work: Microsoft® Windows 8 and 8.1, and Windows Server 2008 R2 SP1, 2012 R2, 2016 and 2019
	 PSCAD version 4.6 and higher is not supported on: Microsoft® Windows XP, Windows Vista, and Windows 7 SPO
Prerequisite Software	Microsoft® Visual C++ 2015 Redistributables, x86 and x64 ^[5]
	Microsoft® .NET Framework 4.0 Full, minimum ^[6]
Launching and Running	Microsoft® Windows User privileges
User Profile	Mandatory user profiles are not supported
Licensing	See Section 4
Third Party Software	A compatible FORTRAN compiler is required. For details, refer to <u>Selecting your FORTRAN</u> <u>compiler</u> .
Execution Permissions	The application executable files must be whitelisted in all protection software: • For PSCAD: • The path may be set generally, as: %PROGRAMFILES%\PSCAD <version> • Or, the path may be specified as: For the 32-bit edition: C:\Program Files (x86)\<version>\bin\win\pscad.exe For the 64-bit edition: C:\Program Files (x86)\<version>\bin\win64\pscad.exe For both editions: C:\Program Files (x86)\<version>\bin\win\tline.exe C:\Program Files (x86)\<version>\utilities</version></version></version></version></version>



Execution Permissions (continued)	For the Intel® Parallel Studio Composer Edition for FORTRAN:
	%PROGRAMFILES%\Intel
	For Microsoft® Visual Studio:
	%PROGRAMFILES%\Microsoft Visual Studio <version></version>
	Allow the user execute permissions to the following within %SYSTEM32%:
	• cmd.exe
	• conhost.exe
	The executable files created by the application must be permitted in all protection software. See listing in Appendix F of <u>Resolving Issues</u> .
Folder Permissions	The user must have full permissions for the following folder and sub-folders:
	 Common Documents folder (e.g. C:\Users\Public\Documents)
	The following sub-folders will be created, and the user must have full permissions:
	• C:\Users\ <your username="">\AppData\Local\Manitoba HVDC Research Centre</your>
	C:\ProgramData\Manitoba HVDC Research Centre
Communication Over TCP/IP	This is required for PSCAD and the executables listed above for the purpose of simulation control and data collection for plots.
Network Ports	Ports 30,000 to 40,000 must be available to allow PSCAD and EMTDC communication
3.1 INSTALLATION – General	
Category	Requirements
Registry Keys Permissions	32-bit registry keys (used by PSCAD (32-bit) and PSCAD (64-bit)):
	HKCU\Software\Manitoba HVDC Research Centre\Pscad
	HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad
	HKLM\Software\Manitoba HVDC Research Centre\Pscad
	 HKLM\Software\Manitoba HVDC Research Centre\Pscad HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad
	HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad
	• HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only):
	 HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only): HKCU\Software\Manitoba HVDC Research Centre\Pscad
	 HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only): HKCU\Software\Manitoba HVDC Research Centre\Pscad HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad
3.2 INSTALLATION – InstallShiel	 HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only): HKCU\Software\Manitoba HVDC Research Centre\Pscad HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad HKLM\Software\Manitoba HVDC Research Centre\Pscad HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad
3.2 INSTALLATION – InstallShiel Category	 HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only): HKCU\Software\Manitoba HVDC Research Centre\Pscad HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad HKLM\Software\Manitoba HVDC Research Centre\Pscad HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad
	 HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only): HKCU\Software\Manitoba HVDC Research Centre\Pscad HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad HKLM\Software\Manitoba HVDC Research Centre\Pscad HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad MKLM\Software\Manitoba HVDC Research Centre Inc\Pscad
Category	HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad 64-bit registry keys (used by PSCAD (64-bit) only): HKCU\Software\Manitoba HVDC Research Centre\Pscad HKCU\Software\Manitoba HVDC Research Centre Inc\Pscad HKLM\Software\Manitoba HVDC Research Centre\Pscad HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad HKLM\Software\Manitoba HVDC Research Centre Inc\Pscad Wizard Installer Requirements



Activate/Release/Refresh a Certificate

Using Certificates

Category	Requirements	
General Requirements	As listed in Section 3.1	
Downloading	Internet connection	
Running	Microsoft® Windows Administrator privileges	
Logging	The following sub-folders will be created, and the user must have full permissions:	
	C:\Users\ <your username="">\AppData\Local\Manitoba HVDC Research Centre\Installer</your>	
3.4 INSTALLATION – MyUpdat	ter	
Category	Requirements	
General Requirements	As listed in Section 3.1	
Access to Product Downloads	Add the first or both of the following URLs to all anti-virus/firewall whitelists:	
	https://products.pscad.com	
	ftp://ftps.pscad.com	
Installing	Microsoft® Windows Administrator privileges	
	Internet connection	
Launching	Microsoft® Windows Administrator privileges	
(to Install or Update Software)	Internet connection	
Launching (to Uninstall Software)	Microsoft® Windows Administrator privileges	
Launching	Microsoft® Windows User privileges	
(to Launch Installed Software)	(unless otherwise specified)	
Connection to Publication Server	Add the first or both of the following URLs to all anti-virus/firewall whitelists:	
	http://publisher.pscad.com:80/	
	net.tcp://publisher.pscad.com:443/	
Supported Protocols	TLS 1.0, TLS 1.1, TLS 1.2	
4.1 LICENSING – Certificate Lic	censing	
Category	Requirements	
Certificate	MyCentre user account with access to a licensed WorkGroup	
Operational Requirements	Supported on a local desktop, or remote desktop, or over virtual private network (VPN). No guaranteed in a cloud desktop environment, but could be verified using diagnostic tools.	
Connection to the License Server	Add both of the following URLs to all anti-virus/firewall whitelists:	
	 http://licensing.pscad.com:80/Licensing 	
	 net.tcp://licensing.pscad.com:443/Licensing 	

Microsoft® Windows User Privileges

• Required permissions: FullControl for Everyone

The following sub-folders will be created for certificates for PSCAD v4.5.1...v4.6.3:

Path: C:\Users\Public\Documents\Manitoba HVDC Research Centre\Licensing\Licenses

Internet connection



	The following sub-folder should already exist and will be used:
	 Path: C:\ProgramData\Microsoft\Crypto\RSA\MachineKeys
	Required permissions: Read, Write for Everyone
Supported Protocols	TLS 1.0. TLS 1.1. TLS 1.2

4.2 LICENSING – Legacy Lock-based Licensing - General

Category	Requirements	
Licensing Media	The License Database File must be installed on the licensed machine	
	The Sentinel USB Lock must be installed on the licensed machine	
To Communicate with the Sentinel Lock	Sentinel Driver software ^[7] to use the Sentinel USB lock	
	For Microsoft® Windows 10 (all releases), Sentinel System Driver 7.6.0 or better is required.	
	For Microsoft® Windows 10 Build 1803 or better, the following is required:	
	Sx32w.dll, version 7.1.0.14	
	One USB 2.0 port or better	
To Install a License Database File	Microsoft® Windows Administrator Privileges	
To Use the License Update Tool	Microsoft® Windows Administrator Privileges	
	Internet connection is required if downloading the posted (current) version	
To Activate a License	Microsoft® Windows User Privileges	
Access to Obtain and Retain Licensing Settings	Settings accessible to everyone on the specified machine:	
	HKEY_LOCAL_MACHINE\SOFTWARE\Manitoba HVDC Research Centre Inc\PSCAD\License	
	Note	
	Microsoft® Windows Administrator Privileges are required to modify them.	
	Settings applicable only to specified individuals on a machine:	
	HKEY_CURRENT_USER\Software\Manitoba HVDC Research Centre Inc\PSCAD\License	
	Note	
	Only Microsoft® Windows User-level Privileges are required to read or modify them, unless prohibited by a group policy.	

4.3 LICENSING – Legacy Lock-based Licensing – Local Licensing

Category	Requirements
General Requirements	As listed in Section 4.2
Machine	Supported on a local machine, but may be possible to use virtual private network (VPN) to remote log in.
	Not supported in a cloud desktop environment.
Firewall	Ports 2053 and 2054 must be open
4.4 LICENSING – Legacy Lock-based Licensing – Network Licensing	

Category	Requirements
General Requirements	As listed in Section 4.2
Machine – Client	Supported on a local machine, but may be possible to use virtual private network (VPN) to connect to the server.



•	
	Not supported in a cloud desktop environment (generally they are not connected to the corporate network).
	Internet connection is required if using VPN for a remote License Manager.
Machine – Server	Supported on a physical machine, but may be possible to use a virtual server. Contact the PSCAD Support Desk support@mhi.ca for details.
License Manager Software	Must be installed as applicable:
	 On the server, if the license is hosted on the server and shared over the network with client machines
	 On the client machine, if the license is used locally on the client machine and has more than one seat
ICMP Ping Echo and ICMP Ping Reply	Must be enabled on the firewall for the host and client machines
TCP/IP and UDP/IP on Ports 2053 / 2054	Must be open on the firewall
NetBIOS (if used) Port 137	Must be allowed on the server
Start / Stop / Restart the License Manager Service	Microsoft® Windows Administrator Privileges
Using the License Manager Setup Tool	Microsoft® Windows Administrator Privileges
	Internet connection is required if downloading the posted (current) version
5. THE LICENSE MANAGER	
Category	Requirements
Operating System	Microsoft® Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported)
	The following operating systems may also work:
	Microsoft® Windows 8 and Windows 8.1

Requirements
Microsoft® Windows 7 SP1 and Windows 10 (32-bit and 64-bit) (officially supported)
The following operating systems may also work:
Microsoft® Windows 8 and Windows 8.1
• Microsoft® Windows Server 2008 R2 SP1, Windows Server 2012 R2, 2016 and 2019
The License Manager is not supported on the following:
Microsoft® Windows XP, Windows Vista, Windows 7 SP0
Supported on a physical machine, but may be possible to use a virtual server. The USB lock must be connected. Contact the PSCAD Support Desk support@mhi.ca for details.
Microsoft® Visual C++ 2017 Redistributables, x86
Microsoft® .NET Framework 4.0 Full, minimum
Microsoft® Windows Administrator Privileges
Microsoft® Windows Administrator Privileges
Microsoft® Windows Administrator Privileges
Internet connection is required if downloading the posted (current) version
Whitelist the License Manager executable files in this folder: C:\Program Files (x86)\HVDC Lmgr\WinNT
Must be open on the firewall



6. DIAGNOSTIC TOOLS	
Category	Requirements
Running the Get Info tool	Microsoft® Windows User Privileges Internet connection is required if downloading the posted (current) version
Running the FORTRAN Medic Tool	Microsoft® Windows User Privileges Internet connection is required if downloading the posted (current) version
Viewing Log Files	Microsoft® Windows User Privileges

Notes

- PSCAD is a numerically intensive power system transients simulator; a fast and efficient personal computer is recommended for best results. To obtain specifications for extremely high workloads, please contact the PSCAD Support Desk for information (support@mhi.ca).
- Personal computers configured with slower processors and lesser RAM may be used, but slower execution performance will result. In other words, simulation speed increases with processor speed and amount of installed RAM.
- 3. Generally, the faster the better. We recommend at least a four-core processor to take advantage of Parallel and High Performance Computing (refer here and here). Additional licensed capabilities may be purchased to maximize these features. For more information, refer to the Requirements manuals or contact the Support Desk (support@mhi.ca).
- 4. The PSCAD product is sold as a 32-bit and 64-bit application. On a 64-bit machine, both applications are installed. On a 32-bit machine, only the 32-bit application is installed.
- 5. The 32-bit edition of Visual C++ Redistributables is required on Microsoft® Windows 32. Both the 32-bit and 64-bit editions of Visual C++ Redistributables are required on Microsoft® Windows 64. If this prerequisite software is not already installed, the user will be prompted to install it when PSCAD is installed.
- 6. This framework comes complete with the Microsoft® Windows 7 operating system and later. If this prerequisite software is not already installed, the user will be prompted to install it when PSCAD is installed.
- 7. Sentinel System Driver 7.6.0 is nstalled automatically alongside PSCAD v4.6.3 and License Manager v1.44.



DOCUMENT TRACKING

Rev.	Description	Date
0	Initial (imported content from "Getting Started" document (Rev. 20)	17/Jan/2019
1	Updates to Sections 2, 3.1 and 5	09/May/2019
2	Update to header title	29/May/2019
3	Updates to Sections 2, 3.2, 3.3, 3.4, 4.1, 4.4 and 5, and to the Notes General improvements	23/Jan/2020
4	Updated versions of Windows servers in Chart 2	22/Oct/2020
5	Update to folder permissions in Chart 4.1 and Windows version in Chart 5	27/Oct/2020
6	Updates to Chart 5	21/Dec/2020

Copyright © 2020 Manitoba Hydro International. All Rights Reserved.